



## EML General Shipping Terms and Conditions.

### Applies to:

- All rolling and High & Heavy (H&H) cargo, both new and used (such as trucks, trailers, construction machinery, agricultural machinery).
- Static cargo accompanying rolling units.
- Used low cargo (such as used cars, used vans and POVs).

- 1) For the purposes of the Freight rate payable, all unit dimensions are taken on CBM or W/M basis:

•**Cubic Meters (CBM)** measurement is based on the largest dimensions of the cargo in its stowed position - the longest/widest/highest part of the unit (including any appendage and trailers), unless specifically agreed otherwise.

•**Weight/ Measure (W/M)** is based on the largest figure of either CBM measurement or the unit weight in Tones.

All dimensions/weights are subject to confirmation by EML staff or our representatives.

- 2) EML reserve the right to refuse shipment of any units that have had their dimensions and/or weight inaccurately reported.

- 3) Units accepted for shipment must be:

**AAA)** Self-propelled and self-drivable. This means they are able to move independently and as a self-contained unit. This includes both up and down the vessel's ramp and within the vessel, including up and down internal ramps if required. They must also be able to move both forward and backwards allowing stowage on the vessel. Units moving at less than 1 mph are not considered to be acceptable.

Units not designed to be self-propelled or self-drivable, i.e. trailers, are exempt from the self-propelled / self-drivable conditions. However any braking systems must be in good working order.

**BBB)** In good working order. For the entire duration of a shipment, until received by the shipper (including discharge and transshipments), Units must:

- Be free of oil and fluid leaks including engine oil, hydraulic oil, brake fluids etc



- Be capable of starting without outside assistance.
- Have working and adequate brakes.
- Have operational steering.

In the event of a unit not meeting these conditions, EML reserve the right to refuse shipment of the unit. EML staff, or our representatives, have the final decision if a unit can be shipped.

In the event a unit fails to meet the above conditions, during transshipment or during discharge, EML reserve the right to order 3<sup>rd</sup> party assistance to allow the discharge of the unit at the shipper's cost and risk of damage to the unit. If a non-working unit cannot be made workable during the normal discharge period of the vessel, EML reserves the right to sail with the unit still on board. In such a scenario the shipper is responsible to ensure the unit can be made workable and safe to discharge at the next port of discharge. Furthermore the shipper is responsible for all costs involved with fixing the unit, extra discharge costs and transport back to the original port of discharge. If any unit is seen or suspected as a fire risk either prior to during loading EML have the right to discharge the unit immediately (at POL) and refuse shipment. All costs subsequently incurred will be for the account of the shipper.

- 4) We recommend that written operational instructions for the unit are placed close to the driving position, to ensure correct operation by the stevedores. Such instructions may include information on the location of battery isolation switches and contact details for obtaining technical, handling or repair advice.
- 5) The vehicles must be free of any personal effects, spare parts, used tyres or other undeclared/un-manifested items within them. Vehicles may be rejected if such items are present.
- 6) No towed items are acceptable unless previously agreed. This includes trailers, boats, non-running rolling units etc.
- 7) Fuel tank's should be 10 to 25% full. Full fuel tanks increase the extent of damage in the unlikely event of a hold fire. However, vehicles running out of fuel are no longer self-propelled and re-fuelling is also a fire risk. Vehicles not meeting these guidelines will be rejected for shipment, or if already loaded, then the shipper becomes liable for all costs incurred to discharge the unit. Used cargo propelled by LPG cannot be shipped due to safety issues.
- 8) Every rolling and every static unit should be labeled clearly to prevent short shipment or over landing. Each individual label should state the chassis number, port of loading, transshipment port (if applicable), final port of discharge, vessel name and the weight of the unit.



- 9) All shipments are subject to, and bound by, EMLs standard B/L terms and conditions.  
 10) Freight rates for cargo to/ ex St. Petersburg valid in year 2017:

For importing/ exporting cargo to/ ex St. Petersburg EML can indicate below sea freights (per unit):

POL: St. Petersburg	POD: Tyne	POD: Zeebrugge	POD: Gothenburg	POD: Hanko
PC, SUV-self-propelled	400 EUR	400 EUR	500 EUR	500 EUR
HH, wheeled, self-propelled	30 EUR WM	30 EUR WM	35 EUR WM	35 EUR WM
HH, tracked, self-propelled	30 EUR WM	30 EUR WM	35 EUR WM	35 EUR WM
HH, loaded 40' mafi	2700 EUR	2700 EUR	3200 EUR	3200 EUR
HH, static, forkliftable	60 EUR WM	60 EUR WM	70 EUR WM	70 EUR WM

POD: St. Petersburg	POL: Tyne	POL: Zeebrugge	POL: Gothenburg	POL: Hanko
PC, SUV-self-propelled	500 EUR	500 EUR	400 EUR	400 EUR
HH, wheeled, self-propelled	35 EUR WM	35 EUR WM	30 EUR WM	30 EUR WM
HH, tracked, self-propelled	35 EUR WM	35 EUR WM	30 EUR WM	30 EUR WM
HH, loaded 40' mafi	3200 EUR	3200 EUR	2700 EUR	2700 EUR
HH, static, forkliftable	70 EUR WM	70 EUR WM	60 EUR WM	60 EUR WM

All the rates are excluding BAF, loading and unloading cost and other surcharges (towable surcharge, tracked surcharge etc.). Please send your cargo requests to [sales@euro-marine.eu](mailto:sales@euro-marine.eu) for a case by case freight proposal. General EML's conditions are applicable.